



**St Helena
Government**

ST HELENA LEGISLATIVE COUNCIL

PANEL OF INVESTIGATORS 2025

LAIN UPON THE TABLE
29 September 2025

ST HELENA LEGISLATIVE COUNCIL

PANEL OF INVESTIGATORS

Pursuant to the provisions of Order 27, Rule 7, of the Council's Standing Orders, the following list shows the names of the four persons comprising the Panel of Investigators, constituted for the purpose specified in the Code of Conduct for Members of Legislative Council:

Mrs Gerarda Hubbard
Mr Timothy McDermott
Mrs Kamar Tanyan
Mr Daniel Weight

Anita Legg
Clerk of Councils

19 September 2025

the 1990s, the number of people with a diagnosis of schizophrenia has increased in many countries (Murray & Lopez, 1996).

There is a growing awareness of the need to improve the lives of people with schizophrenia. The World Health Organization (WHO) has developed a strategy for the care of people with schizophrenia, which emphasizes the need for a comprehensive approach to care, including social, psychological, and medical interventions (WHO, 1993).

The WHO strategy is based on the following principles: (1) early diagnosis and treatment, (2) continuity of care, (3) a focus on the individual's needs and preferences, and (4) a focus on the individual's social and community life (WHO, 1993).

The WHO strategy is based on the following principles: (1) early diagnosis and treatment, (2) continuity of care, (3) a focus on the individual's needs and preferences, and (4) a focus on the individual's social and community life (WHO, 1993).

The WHO strategy is based on the following principles: (1) early diagnosis and treatment, (2) continuity of care, (3) a focus on the individual's needs and preferences, and (4) a focus on the individual's social and community life (WHO, 1993).

The WHO strategy is based on the following principles: (1) early diagnosis and treatment, (2) continuity of care, (3) a focus on the individual's needs and preferences, and (4) a focus on the individual's social and community life (WHO, 1993).

The WHO strategy is based on the following principles: (1) early diagnosis and treatment, (2) continuity of care, (3) a focus on the individual's needs and preferences, and (4) a focus on the individual's social and community life (WHO, 1993).

The WHO strategy is based on the following principles: (1) early diagnosis and treatment, (2) continuity of care, (3) a focus on the individual's needs and preferences, and (4) a focus on the individual's social and community life (WHO, 1993).

The WHO strategy is based on the following principles: (1) early diagnosis and treatment, (2) continuity of care, (3) a focus on the individual's needs and preferences, and (4) a focus on the individual's social and community life (WHO, 1993).

The WHO strategy is based on the following principles: (1) early diagnosis and treatment, (2) continuity of care, (3) a focus on the individual's needs and preferences, and (4) a focus on the individual's social and community life (WHO, 1993).

The WHO strategy is based on the following principles: (1) early diagnosis and treatment, (2) continuity of care, (3) a focus on the individual's needs and preferences, and (4) a focus on the individual's social and community life (WHO, 1993).

The WHO strategy is based on the following principles: (1) early diagnosis and treatment, (2) continuity of care, (3) a focus on the individual's needs and preferences, and (4) a focus on the individual's social and community life (WHO, 1993).